

## Safety Data Sheet

### ETB

Code : 05-009-0

Prepared By : APC Laboratory

Validation Date : 04-Jan-2021

#### 1. Identification of the substance or mixture and of the supplier

Trade Name	:	ETB
Material Uses	:	Solvent for paint and printing ink industry, which can be also used as a high-boiling point for synthetic resin enamel lacquer, as a thinner for bake-coating, and as a whitening preventing or a fluidity regulator for lacquer, varnish and the like. It is the most application high boiling-point solvent for an aqueous paint, because of the suitability of water.
Supplier	:	<b>Asia Pacific Petrochemical Co., Ltd.</b> 165/14-16 Nirvana at Work Ramintra, Ramintra Road, Anusawari, Bang Khen, Bangkok 10220 Thailand <b>Telephone:</b> + 66 2 157 1555 <b>Call Center:</b> + 66 2 147 3555 <b>Fax:</b> + 66 2 157 1556 www.apcbkk.com
Emergency Contact	:	+66 80 204 6789

#### 2. Hazards Identification

GHS Classification	:	Flammable Liquids : Category 3 Specific Target Organ Toxicity (Single Exposure) : Category 3 Specific Target Organ Toxicity (Repeated Exposure) : Category 1
Signal Word	:	Danger
Health Hazard	:	Vapor may cause drowsiness or dizziness, Irritating to skin, eyes and respiratory system.
Environmental Hazard	:	Annex 1 substance under review by the EU commission.

GHS Pictogram



- GHS Hazard Statements**
- : H226 Flammable liquid and vapour.
  - : H302 Harmful if swallowed.
  - : H319 Causes serious eye irritation.
  - : H335 May Cause respiratory irritation.
  - : H336 May cause drowsiness or dizziness.

### GHS Precautionary Statements

- Prevention**
- P210 Keep away from heat/sparks/open flames/hot surfaces and non-smoking.
  - P233 Keep container tightly closed.
  - P240 Ground/Bond container and receiving equipment.
  - P241 Use explosion-proof electrical/ventilating/lighting/equipment.
  - P242 Use only non-sparking tools.
  - P243 Take precautionary measure against static discharge.
  - P261 Avoid breathe dust/fume/gas/mist/vapours/spray.
  - P264 Wash thoroughly after handling.
  - P271 Use only outdoors or in a well-ventilated area.
  - P280 Wear protective gloves/eye protection/face protection.
- Response**
- If on skin
- P303+P361+P353 Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P370+P378 In case of fire: Use manufacturer/supplier or the competent authority to specify appropriate media for extinction.
- If in eye
- P305+P351+P338 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P337+P313 If eye irritation persists: Get medical advice/attention.
- If inhaled
- P304+P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- If swallowed
- P301+P312 Call a poison center or doctor/physician if you feel unwell.
  - P330 Rinse mouth.
- Storage**
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
  - P235 Keep cool.
  - P405 Store locked up.
- Disposal**
- P501 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## Precautionary Pictograms

**3. Composition/Information on Ingredients**

Chemical Name	:	Ethylene Glycol Mono-tert-Butyl Ether
Common Name	:	ETB
Synonyms Name	:	Tert-Butyl Cellosolve, Swasolve ETB
CAS No.	:	7580-85-0
UN No.	:	3271
Molecular Weight	:	118.18
Chemical Formula	:	C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>

**4. First-Aid Measures**

Inhalation	:	Remove to fresh air. If the victim has difficulty breathing or tightness of the chest, give 100% oxygen with rescue breathing or CPR as required and transport to the nearest medical facility.
Inhalation	:	Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available.
Eye Contact	:	Immediately flush eyes with large amounts of water for at least 15 minutes while holding eyelids open. Transport to the nearest medical facility for additional treatment.
Ingestion	:	Wash out mouth with water. Do not induce vomiting, transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

**5. Fire-Fighting Measures**

Suitable extinguishing media	:	Dry chemical powder, Alcohol-resistant foam and Carbon dioxide.
Specific hazard arising from the chemical	:	May produce toxic fumes of carbon monoxide, carbon dioxide if burning.
Special protective action for fire-fighters	:	Keep adjacent containers cool by spraying with water.

Protective Equipment : Wear full protective clothing and self-contained breathing apparatus.

## 6. Accidental Release Measures

Protective Measures : 

- Observe all relevant local and international regulations.
- Avoid contact with spilled or released material. Immediately remove all contaminated clothing. For guidance on selection of personal protective equipment see chapter 8 this Material Safety Data Sheet. Shut off leaks, if possible without personal risks. Remove all possible sources of ignition in the surrounding area. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
- Take precautionary measures against static discharge. Ensure electrical continuity by bonding and grounding (earthing) all equipment.

### Clean-Up Methods

♦ Small spillage (< 200 LT) : Transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.

♦ Large spillage (> 200 LT) : Transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.

Other Information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

## 7. Handling And Storage

Handling : Avoid contact with skin, eyes, and clothing. Do not breathe vapours. Extinguish any naked flame. Remove ignition sources. Avoid sparks. Do not smoke. The vapour is heavier than air spreads along the ground and distant ignition is possible. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not use compressed air for filling, discharging, or handling operations. Handle and open container with care in well-ventilated area. Do not empty into drains.

Storage : Must be stored in a diked (bonded) well-ventilated area, away from sunlight, ignition sources and other sources of heat. Bulk storage tanks should be diked (bonded). Keep away from aerosols, flammables, oxidizing agents, corrosives. Storage Temperature: Ambient.

Product Transfer : Keep containers closed when not in use. Do not use compressed air for filling, discharging, or handling operations. If positive displacement pumps are used, these must be fitted with a non-integral pressure relief valve. Ensure electrical continuity by bonding and grounding (earthing) all equipment.

Recommended Materials : For containers, or container linings use mild steel, stainless steel.

**Additional Advice** : Containers even those that have been emptied, can contain explosive vapours. Do not cut, drill, grind, weld or perform similar operations on or near containers.

## 8. Exposure Controls and Personal Protection

**Exposure Standard** : No data available.

**Engineering Controls Workplace** : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value.

**Respiratory Protection** : Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

**Hand Protection** : Butyl rubber gloves, Nature rubber gloves, Neoprene rubber gloves, Nitrile rubber gloves.

**Eye Protection** : Chemical splash goggles (chemical monogoggles).

**Other Protection** : Use protective clothing which is chemical resistant to this material. Safety shoes and boots should also be chemical resistant.

## 9. Physical and Chemical Properties

**Appearance** : Clear liquid

**Odour** : Specific odour

**pH Value** : No data available

**Boiling Point (°C)** : 152 °C

**Melting Point (°C)** : - 120 °C or below

**Flash Point** : 55 °C

**Lower/Upper Flammability limits** : 0.6 - 10.5 %V

**Vapour Pressure (kPa)** : 0.21 kPa @ 20 °C

**Specific Gravity** : 0.898 @ 20 °C (ASTM D4052)

**Vapour Density** : No data available

**Solubility in Water** : Soluble in water and alcohol (ASTM D1722)

**Auto Ignition Temperature** : 440 °C

## 10. Stability and Reactivity

Chemical Reactivity	:	Stable under normal conditions.
Stability	:	Stable under normal conditions of use.
Hazardous Polymerisation	:	No.
Conditions to Avoid	:	Heat, flame, spark and other ignition sources.
Materials to Avoid	:	Strong oxidizing agents. Strong Acid and Strong bases.
Hazardous Decomposition Products	:	Thermal decomposition is highly dependent on conditions. Carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation. May form explosive peroxides.

## 11. Toxicological Information

Acute Toxicity		
♦ LD <sub>50</sub> Acute oral toxicity	:	2,000 mg/kg , (rat)
♦ LC <sub>50</sub> Acute inhalation toxicity	:	1,914 ppm , (rat)
Skin Irritation	:	Irritating to skin. Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis.
Eye Irritation	:	Serious irritating to eyes.
Respiratory Irritation	:	Inhalation of vapours or mists may cause irritation to the respiratory system.
Carcinogenicity	:	No data available.

## 12. Ecological Information

Acute Toxicity			
♦ Fish (Oryzias Latipes)	:	Low toxicity	: LC <sub>50</sub> > 100 mg/l (96h)
♦ Crustacean (Daphnia Magna)	:	Low toxicity	: EC <sub>50</sub> > 1,000 mg/l (48h)
♦ Algae (Selenastrum Capricornutum)	:	Low toxicity	: EC <sub>50</sub> > 870 mg/l (72h)
Mobility	:	Dissolves in water. If product enters soil, it will highly mobile and may contaminate groundwater.	
Persistence / Degradability	:	No data available.	
Bio-accumulation	:	No data available.	

### 13. Disposal Considerations

- Material Disposal** : Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classifications and disposal methods in compliance with applicable regulations.
- Container Disposal** : Drain container thoroughly. After draining, vent in a safe place away from sparks and fire. Refer to Section 7 before handling the product or containers. Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums. Send to drum recovered or metal reclaimed.
- Local Legislation** : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

### 14. Transport Information

#### Road/Rail Transport ADR/RID

- ◆ UN. Number : 3271
- ◆ Class/Item : 3
- ◆ Hazard Symbol : Flammable Liquid
- ◆ Proper Shipping Name : Ethers, N.O.S.
- ◆ Packing Group : III

#### Maritime Transport IMO

- ◆ UN. Number : 3271
- ◆ Class : 3
- ◆ Packing Group : III
- ◆ Hazard Symbol : Flammable Liquid
- ◆ Proper Shipping Name : Ethers, N.O.S.
- ◆ Marine Pollutant : No

#### Air Transport IATA/ICAO

- ◆ UN. Number : 3271
- ◆ Class : 3
- ◆ Packing Group : III
- ◆ Hazard Symbol : Flammable Liquid
- ◆ Proper Shipping Name : Ethers, N.O.S.


## 15. Regulatory Information

EC Label Name	:	ETB (Ethers, N.O.S.)
EC Classification	:	Flammable liquid
EINECS (EC)	:	No data available
EC Annex I Number	:	No data available
MITI (JAPAN)	:	No data available

## 16. Other Information

National Fire Protection Association (USA)

:



- Health
- Fire Hazard
- Reactivity
- Specific Hazard

SDS Distribution

:

The information in this document should be made available to all who may handle the product.

Prepared By

:

Quality Control Department.  
Asia Pacific Petrochemical Co., Ltd.

### Disclaimer :

The information contained herein is based on our current knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty of guarantee is expressed or implied regarding the accuracy of these data or the results to be obtained from the use of the product.

Revision 3 : January, 2021